

B & R Automation - 8LS Synchronous Motors

8LSA34.EA060D100-3



 **In-Stock, Ships 3-5 Days**

- Get a Quote in 5 minutes
- Parts ship in as little as 24 hours
- Up to half the cost of the manufacturer



Secure Online
Checkout



Free Ground
Shipping



One Year
Warranty

The **8LSA34.EA060D100-3** is a part of the **8LS Synchronous Motors Series** by **B & R Automation**.

Specifications

Configuration Summary:	8LSA: Standard, no reinforced bearing	Connection direction:	Angled (swivel)	Connection Hardware:	Connector
Cooling Principle:	Self-cooling, free circulation	Cooling Type:	Natural Convection	Designation:	8LSA
Encoder Technology:	Inductive EnDat	Encoder Type:	Digital EnDat Encoder	EnDat Version:	2.1
Flange Dimension:	91.3 (mm)	Flange Size:	85 mm	Holding Brake:	Not Present
Ip Rating:	IP65	Length Code:	4	Maximum Torque:	10 Nm
Motor Type:	Three-phase synchronous	Mounting Availability:	Mounting flange	Oil Seal:	Not Present
Product Revision:	3	Rated Current:	3.3 A	Rated Speed:	6000 (rpm)
Rated Torque:	3.6 Nm	Rated Voltage:	400 V	Resolution:	19/0 (Single/Multi-turn bits)
Shaft End:	With key	Turn Capability:	Single-turn	Last Verified:	05/18/2026 4:02 AM

Contact Us

 1620 Old Apex Road, Cary, NC 27513, USA

 Toll Free: [1-888-551-3082](tel:1-888-551-3082)

 International: [1-919-443-0207](tel:1-919-443-0207)

 Fax: [1-919-867-6204](tel:1-919-867-6204)

 Email: sales@wakeindustrial.com

Shipping Options



Payment Methods



Automation Factory sells factory new and pre-owned surplus products and maintains channels to procure supply. Automation Factory is not affiliated with nor an authorized distributor or representative of any manufacturers, brands or products listed. Designated trademarks, brand names, and brands appearing herein are the property of their respective owners.