

Danaher - Dynapar Encoders

H58100011134018



Specifications

Differential Line 40 or 100 mA **Driver Output:** Enclosure Ra 5 to 26 VDC, 80 mA max Mounting: **Input Power:** A leads B for CCW rotation **Phase Sense:** (shaft end) Push-Pull Ou 1 to 2540 PPR **Resolution:** Shaft Size: 10,000 RPM max Shaft Speed (? 1024 PPR): Signal Forma 5₽#40 °C to +90 °C Weight: Storage Temp:

Request a Quote

- Get a Quote in 5 minutes
- Parts ship in as little as 24 hours
- Up to half the cost of the manufacturer



Checkout

Free Ground

Shipping

One Year Warranty

The **H58100011134018** is a part of the **Dynapar Encoders Series** by **Danaher**.

Rating:	NEMA12/IP54	Enclosure Rating (washdown):	NEMA4/IP66
C	Pilot face, 3×M3 holes on 48 mm bolt circle	Operating Temp:	0 to +70 °C (std); 0 to +85 °C (ext)
utput:	40 mA sink/source	Quadrature Phasing:	90° ± 22.5° electrical
	6 mm and 10 mm diameters	Shaft Speed (>1024 PPR):	5,000 RPM max
at:	Quadrature AB, optional Index Z, complementary outputs	Starting Torque:	0.007 N⋅m (no seal); 0.014 N⋅m (with seal)
	283 g (10 oz) max	Last Verified:	07/15/2025 9:57 PM

Contact Us

- 9 1620 Old Apex Road, Cary, NC 27513, USA
- J Toll Free: <u>1-888-551-3082</u>
- International: <u>1-919-443-0207</u>
- <u> Fax: 1-919-867-6204</u>
- Email: <u>sales@automation-factory.com</u>

Shipping Options



Automation Factory sells factory new and pre-owned surplus products and maintains channels to procure supply. Automation Factory is not affiliated with nor an authorized distributor or representative of any manufacturers, brands or products listed. Designated trademarks, brand names, and brands appearing herein are the property of their respective owners.