



Danfoss - VLT FC 302 Automation Drives

FC-302P4K0T6134F4983HXBGXXXXSXXXXAXBXCXXXXDX



In Stock, Shipping Varies



- ✓ Get a Quote in 5 minutes
- ✓ Parts ship in as little as 24 hours
- ✓ Up to half the cost of the manufacturer



Secure Online
Checkout



Free Ground
Shipping



One Year
Warranty

The **FC-302P4K0T6134F4983HXBGXXXXSXXXXAXBXCXXXXDX** is a part of the **VLT FC 302 Automation Drives Series** by **Danfoss**.

Specifications

| | | | | | |
|------------------------------|------------------------------------|-------------------------------|---------------------------------------|----------------------------------|---------------------------------------|
| Cable Cross-section: | Max 4 (12) mm2 (AWG) | Control Type: | VLT FC 301 Automation Drives / FC 302 | Cooling Method: | Back-channel cooling |
| Efficiency: | Up to 98% | Enclosure Rating: | IP20 | Enclosure Sizes: | K1-K5 |
| Harmonic Drive Range: | 3 x 525-690 V...1.1 kW - 1.4 MW | Intermittent Current: | Up to 63.8A for 60s | Low Harmonic Drive Range: | 3 x 380-480 V...132-450 kW |
| Power Range: | 3 x 380-500 V...0.37 kW - 1.1 MW | Programming Interface: | RS485 serial communication | Supply Frequency: | 50/60 Hz |
| Thermal Design: | Robust for industrial applications | Voltage Range: | 3 x 525-600 V...0.75-75 kW | Weight: | 3.6 to 12.5 kg based on configuration |
| Last Verified: | 05/09/2025 7:38 PM | | | | |

Contact Us

📍 1620 Old Apex Road, Cary, NC 27513, USA

📞 Toll Free: [1-888-551-3082](tel:1-888-551-3082)

🌐 International: [1-919-443-0207](tel:1-919-443-0207)

📠 Fax: [1-919-867-6204](tel:1-919-867-6204)

✉ Email: sales@automation-factory.com

Shipping Options



Payment Methods



Automation Factory sells factory new and pre-owned surplus products and maintains channels to procure supply. Automation Factory is not affiliated with nor an authorized distributor or representative of any manufacturers, brands or products listed. Designated trademarks, brand names, and brands appearing herein are the property of their respective owners.