



Kollmorgen - Kollmorgen Servo Cables

M.1302.8438



 **Request a Quote**

- ✓ Get a Quote in 5 minutes
- ✓ Parts ship in as little as 24 hours
- ✓ Up to half the cost of the manufacturer



Secure Online
Checkout



Free Ground
Shipping



One Year
Warranty

The **M.1302.8438** is a part of the **Kollmorgen Servo Cables Series** by Kollmorgen.

Specifications

Ac Output Current:	2.1A (3.0A) Continuous RMS	Command Input Format:	Analog velocity or torque, 0 to + 10V	Conforms To Standards:	EN 50178 and EN61800-3
Current Sourcing Outputs:	4 optically isolated 24VDC outputs	Digital Link Cable Type:	Shielded, Straight Pinned, CAT5 or better	Input Frequency:	47-63Hz
Input Voltage:	207-528 VAC, 3 Phase	Joules For Energy Absorption With 460v Motor:	10 joules with 460V line input	Leakage Current In Off State:	0.5mA max
Max. Peak Output Current:	6.0A	Maximum Cable Length:	30m (98.4 ft)	Maximum Current:	50mA per output
Time Delay For Resistive Loads:	50µsec. max on/off	Voltage Range:	24VDC +15%-10%	Weight:	10 lbs
Last Verified:	05/08/2025 10:18 AM				

Contact Us

 1620 Old Apex Road, Cary, NC 27513, USA

 Toll Free: [1-888-551-3082](tel:1-888-551-3082)

 International: [1-919-443-0207](tel:1-919-443-0207)

 Fax: [1-919-867-6204](tel:1-919-867-6204)

 Email: sales@automation-factory.com

Shipping Options



Payment Methods



Automation Factory sells factory new and pre-owned surplus products and maintains channels to procure supply. Automation Factory is not affiliated with nor an authorized distributor or representative of any manufacturers, brands or products listed. Designated trademarks, brand names, and brands appearing herein are the property of their respective owners.