

#### **Okuma - MIV Servo Drives**

## MIV0404A-1-B3



# <table-of-contents> In Stock, Ships in 3-5 Days

- Get a Quote in 5 minutes
- Parts ship in as little as 24 hours
- Up to half the cost of the manufacturer

÷
Secure Online

Checkout

Free Ground Shipping

One Year Warranty

The MIV0404A-1-B3 is a part of the MIV Servo Drives Series by Okuma.

### **Specifications**

A-phase Signal Of Magnetic Encoder:	Vpp: 2.6 to 4.6V (Nominal: 3.3V)	B-phase Signal Of Magnetic Encoder:	Vpp: 2.6 to 4.6V (Nominal: 3.3V)	Compatible Control Board:	ICB1H-S/ICB1F
Motor Output Torque (1st Axis):	Motor peak torque at 3V, e Output voltage -3V to +3V	Motor Output Torque (2nd Axis):	Motor peak torque at 3V, Output voltage -3V to +3V	Motor Spood (1ct	1562 min-1/V, Output voltage -3V to +3V
Motor Speed (2nd Axis):	1562 min-1/V, Output voltage -3V to +3V	Motor Voltage Error (d-axis Component):	Multiplication factor 1/42, Output voltage -3V to +3V	Motor Voltage Error (q-axis Component):	Multiplication factor 1/42, Output voltage -3V to +3V
Output Voltage Range:	-3V to +3V for all Motor signals	Rated Capacity:	4 kW × 4 kW (5.3 hp × 5.3 hp)	Resolver Signal:	Vpp: 6.0V (typ.), T?102.4µsec (9.77kHz)
Unit Weight:	7.8 kg (17.2 lb)	Z-phase Signal Of Magnetic Encoder:	Vz1: 1.4V or higher, Vz2: 0.5V or higher	Last Verified:	05/09/2025 9:20 AM

## Contact Us

- 9 1620 Old Apex Road, Cary, NC 27513, USA
- J Toll Free: <u>1-888-551-3082</u>
- International: <u>1-919-443-0207</u>
- <u> Fax: 1-919-867-6204</u>
- Email: <u>sales@automation-factory.com</u>

### **Shipping Options**



Automation Factory sells factory new and pre-owned surplus products and maintains channels to procure supply. Automation Factory is not affiliated with nor an authorized distributor or representative of any manufacturers, brands or products listed. Designated trademarks, brand names, and brands appearing herein are the property of their respective owners.