




Okuma - MIV Servo Drives

MIV22-3-V5



In Stock, Ships Today

- ✓ Get a Quote in 5 minutes
- ✓ Parts ship in as little as 24 hours
- ✓ Up to half the cost of the manufacturer



Secure Online
Checkout



Free Ground
Shipping



One Year
Warranty

The **MIV22-3-V5** is a part of the **MIV Servo Drives Series** by **Okuma**.

Specifications

Applicable Motor Capacity:	22 kW (30 hp)	Aq Drive Frequency Tolerance:	Approx. 0.128 msec (7.81 kHz)	Axis:	1-axis control inverter unit Refer to MIV external dimensions
External Cooling Fan:	Model: E1310-528-054	Inverter control board type :	ICB3	Inverter Dimensions:	
Magnetic Encoder Signal Voltage (a/b-phase):	2.6 to 4.6 V	Magnetic Encoder Z-phase Min Voltage:	1.4 V or higher	Max Torque/rated Torque:	300%
Motor Speed Unit:	1562 min-1/V	Motor Voltage Error D-axis:	Output multiplication factor: 1/42 Control board + Display card + Inverter unit	Motor Voltage Error Q-axis:	Output multiplication factor: 1/42 (Dimensions file needed for exact kg)
Output Voltage Range:	-3 V to +3 V	Unit Construction:		Weight:	
Last Verified:	05/10/2025 5:27 AM				

Contact Us

1620 Old Apex Road, Cary, NC 27513, USA

Toll Free: [1-888-551-3082](tel:1-888-551-3082)

International: [1-919-443-0207](tel:1-919-443-0207)

Fax: [1-919-867-6204](tel:1-919-867-6204)

Email: sales@automation-factory.com

Shipping Options



Payment Methods

