



Sanyo Denki - BL Super Servo Amplifiers

60BB075FXW16



Request a Quote

- ✓ Get a Quote in 5 minutes
- ✓ Parts ship in as little as 24 hours
- ✓ Up to half the cost of the manufacturer



Secure Online
Checkout



Free Ground
Shipping



One Year
Warranty

The **60BB075FXW16** is a part of the **BL Super Servo Amplifiers Series** by **Sanyo Denki**.

Specifications

Ambient Temperature Range: -10C to +50C

Control Method: Field-oriented control

Efficiency: 95% (typical)

Installation: Rack-mounted or DIN-rail options available

Power Output: 0.75 kW SPR 1.5 kW class (typical value)

Contact Us
Last Verified: 06/02/2025 11:49 AM

1620 Old Apex Road, Cary, NC 27513, USA

Toll Free: [1-888-551-3082](tel:1-888-551-3082)

International: [1-919-443-0207](tel:1-919-443-0207)

Fax: [1-919-867-6204](tel:1-919-867-6204)

Email: sales@automation-factory.com

Amplifier Type:

Cooling Method:

Input Current:

Output Frequency:

Protection Features:

Servo amplifier

Forced air cooling (fan-assisted)

Up to 5 A

Variable frequency drive output (see datasheet for details)

Overcurrent, overvoltage, and thermal protection

Communication Interface:

Dimensions:

Input Voltage Range:

Overload Capacity:

Weight:

Analog/digital I/O; options may include RS-485 or CANopen

Compact design (specific dimensions in datasheet)

Typically 100 SPR 240 VAC (refer to datasheet)

Short-time overload capability as per datasheet

Approximately 5 SPR 10 kg, depending on configuration

Shipping Options



Payment Methods

