

Sanyo Denki - R SANMOTION Servo Drives

RS1A05AV04E0MB10



<table-of-contents> Request a Quote

- Get a Quote in 5 minutes
- Parts ship in as little as 24 hours
- ☑ Up to half the cost of the manufacturer



Free Ground Shipping

One Year Warranty

The RS1A05AV04E0MB10 is a part of the R SANMOTION Servo Drives Series by Sanyo Denki.

Specifications

Average Forward Current:	1 A	Diode Type:	Schottky Barrier Diode	Input Current:	0.2A
Input Frequency:	50/60Hz	Input Phases:	3-phase or 1- phase	Input Voltage:	200-230V AC
Maximum Forward Voltage Drop:	Approximately 0.4 V at rated current	Maximum Junction Temperature:	150 °C	Maximum Reverse Voltage:	40 V
Operating Temperature Range:	-40 °C to +125 °C	Output Phases:	3-phase	Reverse Leakage Current:	Typically 5 μA at rated voltage
Rohs Compliance:	Yes (Lead-free)	Surge Current Capability:	25 A (8.3 ms single pulse)	Thermal Resistance:	Approximately 50 °C/W
Last Verified:	07/01/2025 3:53 AM		-		

Contact Us

- ♀ 1620 Old Apex Road, Cary, NC 27513, USA
- J Toll Free: <u>1-888-551-3082</u>
- International: <u>1-919-443-0207</u>
- <u> Fax: 1-919-867-6204</u>
- Email: <u>sales@automation-factory.com</u>

Shipping Options



Automation Factory sells factory new and pre-owned surplus products and maintains channels to procure supply. Automation Factory is not affiliated with nor an authorized distributor or representative of any manufacturers, brands or products listed. Designated trademarks, brand names, and brands appearing herein are the property of their respective owners.